Molteni & C

GLOVE— PATRICIA URQUIOLA 2007

1—



Soft, sinuous lines flow together to form the Glove bed, made with a supporting frame in steel covered in cold moulded foam. The crosspieces connecting the guides of the bed can support single or divided slatted bases, which height can be adjusted. Slatted bases with movements cannot be used with Glove bed. The feet are always shiny aluminium.

DATASHEET

IX.2015

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

GLOVE— PATRICIA URQUIOLA

2-

3

FINISHES

COVERS

fabric - leather, completely removable.

FEET FINISH shiny aluminium

Available in fire-resistant version (TB117 and BS5852).

Molteni & C

TECHNICAL INFORMATION

INTERIOR STRUCTURE

Metal framework with elastic straps.

STRUCTURE PADDING

Multi-density cold moulded flexible polyurethane foam. Cover made in doublelayer velveteen.

FEET


Shiny aluminium finish with foot base covers in non-slip plastic.


INTERNAL CROSSPIECES

Varnished metal.

MATTRESS-BASE SPACER

Plastic.





Mattress-base height adjustment

Without spacer H 95 With spacer (1) H1 75 With spacer (2) H2 55


DATASHEET

IX.2015

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

GLOVE— PATRICIA URQUIOLA 2007

DIMENSIONS




OUTER DIMENSIONS				INNER DIMENSIONS		
L Width		P	Н	L1	P2	D
Bed base	Total width	Total length	Height	Width	Length	Space for
1750 68 7/8"	2080 81 7/8"	2300 90 1/2"	960 37 3/4"	1600 63"	2000 78 3/4"	insertion of the slatted base
1850 72 7/8"	2180 85 7/8"	standard model	H1	1700 66 7/8"	standard model	55 2 1/8"
1950 76 3/4"	2280 89 3/4"	2400 94 1/2" on request	Bed base	1800 70 7/8"	2100 82 3/4" on request	75 3"
QS1700 66 7/8"	QS2080 81 7/8"	2350 92 1/2"	height	QS1550 61"	2050 80 3/4"	95 3 3/4"
KS2100 82 3/4"	KS2420 95 1/4"	for QS/KS	330 13"	KS1950 76 3/4"	for QS/KS	

Depth of 2100 mm (82 3/4") (inner measurement) is also available on LG16-LG17-LG18. Slatted bases with electric movement cannot be used.

Molteni & C

bed taking a single slatted base or 2 individual slatted bases

3-



DATASHEET

IX.2015